



**KULLEGG MARIA REGINA
GIRLS' SECONDARY MOSTA
HALF-YEARLY EXAMINATIONS 2011/2012**

SUBJECT: PHYSICS

Form 4

TIME: 1 HR 30 MIN

NAME : _____

CLASS: _____

INDEX NO : _____



Track 2

**Answer ALL questions in the spaces provided on the exam paper.
All working must be shown. The use of a calculator is allowed.
Where necessary take the acceleration due to gravity, $g = 10 \text{ m/s}^2$.**

Waves and Optics	$v = f \lambda$	$f = \frac{1}{T}$
	$m = \frac{v}{u}$	$m = \frac{\text{height of image}}{\text{height of object}}$
	$\eta = \frac{\text{speed of light (air)}}{\text{speed of light (medium)}}$	$\eta = \frac{\text{real depth}}{\text{apparent depth}}$
Forces and Motion	$W = mg$	$v^2 = u^2 + 2as$
	$v = u + at$	$s = ut + \frac{1}{2} a t^2$
	Average speed = $\frac{\text{Total Distance}}{\text{Total time}}$	$s = \frac{(u+v)}{2} t$

For examiner's use:

Number	1	2	3	4	5	6	7	8	Total
Maximum mark	8	8	8	8	8	15	15	15	
Actual mark									

	Total Theory	Total Practical	Final Mark
Actual Mark			
Maximum Mark	85	15	100

SECTION A

This section carries 40 marks.

1. A slinky spring is being used to produce waves as shown in Figure 1. Complete the following by choosing the right word. (*up, periodic time, amplitude, down, transverse, longitudinal, wavelength*)





Figure 1

- a) What type of wave is shown in Figure 1? _____ [1]
- b) To produce such waves, the hand is moved _____ and _____ [2]
- c) If 3 waves are produced in one second, then the frequency = _____ Hz. [1]
- d) If the frequency increases, the _____ decreases. [1]
- e) What is the time to complete one single wave called? _____ [1]
- f) If the slinky spring is moved with more energy the _____ increases [1]
- g) Sound is an example of a different type of wave, called _____. [1]
2. Figure 2 shows an incomplete ray diagram.



- a) Add the missing rays to the ray diagram above. [3]

b) Apart from being inverted, name two other properties of the image formed.

(i) _____ (ii) _____ [2]

c) Give a suitable use for the ray diagram in Figure 2.

_____ [1]

d) Calculate the magnification of the lens.


_____ [1]

e) What would happen to the size of the image if the object is moved away from the lens but everything else is unchanged?

_____ [1]

3. This question is about the electromagnetic spectrum.

High frequency, short wavelength



XFM is a radio station which broadcasts at a frequency of 100.2 MHz. Radio waves travel at a speed of 3×10^8 m/s.

a) Change 100.2 MHz to Hz. _____ [1]

b) Calculate the wavelength of these waves.

_____ [1]

c) Name 2 waves from the electromagnetic spectrum which could be dangerous.

_____ [2]

d) Apart from light waves and radio waves, name two uses of two other electromagnetic waves in our everyday life.

(i) _____

(ii) _____ [2]

e) Which electromagnetic wave has the lowest frequency? _____ [1]

f) Name one common property of all electromagnetic waves.

_____ [1]

4. The diagram below shows water wavefronts approaching a wall.




Figure 3

a) Add a normal to the diagram (Figure 3). [1]

b) Complete the diagram to show the direction taken by the wavefronts. [2]

c) Underline the correct answer:

What happens to each of the following after the wavefronts hit the wall?

(i) wavelength (increases, decreases, remains the same).

(ii) frequency (increases, decreases, remains the same).

(iii) velocity (increases, decreases, remains the same). [3]

d) Calculate the frequency of the waves if their wavelength is 0.02 m and they travel at 2.4 m/s.

_____ [2]

5. Figure 4 shows a ray incident onto a semi-circular glass block.




Figure 4

a) Label the rays of light shown above.

[1]

b) In Figure 4, the angle of refraction = _____^o. At this point the angle of incidence is called the _____ angle.

[2]

c) What would happen if the angle of incidence is increased further?

[2]

d) The speed of light in air is 3×10^8 m/s, while that in glass is 2×10^8 m/s. Find the refractive index of glass.

[2]


e) Light and sound are both types of waves. Name one difference between them.

[1]

SECTION B

This section carries 45 marks.

6. A student claps and hears a reflected sound after 0.58 seconds.



a) What is the reflected sound called?

[1]

b) Calculate the speed of sound in air.

[3]

c) Why is this method of timing not so accurate?

[2]

d) Underline the correct answer:

(i) If the student claps harder, the speed of sound (increases, decreases, remains the same).

[1]

(ii) If the student blows a whistle instead of clapping, the speed of sound (increases, decreases, remains the same).

[1]

(iii) If the student moves closer to the wall, the time to receive the reflected sound will (increase, decrease, remain the same).

[1]

e) When the jar is full of air, the bell can be heard ringing.

(i) What happens to the sound level when the vacuum pump is switched on?


_____ [2]

(ii) What does this experiment show?

_____ [2]

f) State the range of frequencies which humans can hear.

_____ [2]



7. Light is reflected when incident onto a plane mirror.

a) Complete the diagram (Figure 5) by adding the missing labels.




Figure 5

[5]

b) A student changes several times the angle i by moving the ray box. Each time, he notes the corresponding value of angle r .

Angle i ($^{\circ}$)	10	20	30	40	50	60
Angle r ($^{\circ}$)	10	20	33	40	50	60

(i) The student measures the angles by using a _____ . [1]

(ii) Plot a graph of angle r ($^{\circ}$) on the y-axis against angle i ($^{\circ}$) on the x-axis. [5]

(iii) The value of the wrongly read angle r should be _____ $^{\circ}$. [1]


c) Name 3 properties of an image formed in a plane mirror.

(i) _____

(ii) _____

(iii) _____

[3]



8.The following questions are about motion.

- a) In 2009 during the Athletics World Championships held in Berlin, Usain Bolt set a new world record. Starting from rest, he ran the 100 m race in a total time of 9.58 seconds. The table below shows the time intervals for each 10 m he ran.



Distance (m)	Time (s)
0 -10	1.89
10-20	0.99
20-30	0.90
30-40	0.86
40-50	0.83
50-60	0.82
60-70	0.81
70-80	0.82
80-90	0.83
90-100	0.83

- (i) What was his initial velocity?

_____ [1]

- (ii) Find the total time he took to run the first 30 m.

_____ [1]

- (iii) His acceleration for the first 30 m was 4.2 m/s^2 . Find his velocity after 30 m.

_____ [2]

- (iv) Between which distances was he running at constant speed?

_____ [1]

- (v) What was his acceleration at this point? _____ [1]

- (vi) Between which distances was he slowest? _____ [1]

PLEASE TURN OVER

(vii) Calculate his average speed for the whole race.

[1]

b) Here is one of the latest Ferrari models.



(i) Why is the body of sports cars streamlined?

[2]

(ii) Starting from rest it can reach a speed of 27 m/s in just 3 seconds.

Find its acceleration and the distance travelled while accelerating.

Acceleration: _____

[3]

Distance travelled: _____

[2]

END OF PAPER